



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
-----------------	-------------	----------------------	---------------------

09/147,520 02/22/99 TOMOMATSU

R 2421-0331-2X

EXAMINER

MM91/0112

OBLON SPIVAK MCCLELLAND MAIER & NEUSTADT
1755 JEFFERSON DAVIS HIGHWAY
FOURTH FLOOR
ARLINGTON VA 22202

ROSENBERGER, R
ART UNIT PAPER NUMBER

2877
DATE MAILED:

01/12/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

Office Action Summary

Application No.
09/147,520

Applicant(s)
TOMAMOTSU

Examiner
Richard Rosenberger

Group Art Unit
2877



☒ Responsive to communication(s) filed on Nov 2, 2000

☒ This action is **FINAL**.

☐ Since this application is in condition for allowance except for formal matters, **prosecution as to the merits is closed** in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11; 453 O.G. 213.

A shortened statutory period for response to this action is set to expire 3 month(s), or thirty days, whichever is longer, from the mailing date of this communication. Failure to respond within the period for response will cause the application to become abandoned. (35 U.S.C. § 133). Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).

Disposition of Claims

☒ Claim(s) 1 and 3-16 is/are pending in the application.

Of the above, claim(s) _____ is/are withdrawn from consideration.

☐ Claim(s) _____ is/are allowed.

☒ Claim(s) 1 and 3-16 is/are rejected.

☐ Claim(s) _____ is/are objected to.

☐ Claims _____ are subject to restriction or election requirement.

Application Papers

☐ See the attached Notice of Draftsperson's Patent Drawing Review, PTO-948.

☐ The drawing(s) filed on _____ is/are objected to by the Examiner.

☐ The proposed drawing correction, filed on _____ is ☐ approved ☐ disapproved.

☐ The specification is objected to by the Examiner.

☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. § 119

☐ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).

☐ All ☐ Some* ☐ None of the CERTIFIED copies of the priority documents have been

☐ received.

☐ received in Application No. (Series Code/Serial Number) _____

☐ received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

*Certified copies not received: _____

☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

Attachment(s)

☐ Notice of References Cited, PTO-892

☐ Information Disclosure Statement(s), PTO-1449, Paper No(s). _____

☐ Interview Summary, PTO-413

☐ Notice of Draftsperson's Patent Drawing Review, PTO-948

☐ Notice of Informal Patent Application, PTO-152

--- SEE OFFICE ACTION ON THE FOLLOWING PAGES ---

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1,3-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shiraishi (US 5,706,091).

The reference shows a system in which light is directed onto a surface to be inspected with a light source (1) and an objective lens (9) collecting reflected light. There is a slit (26) and a detector (28). There is an illumination switchover means (6, 7, 8) to switch between bright field and dark field illumination.

The illumination switchover means uses a half mirror (8). The reference does not appear to specifically mention that the "light is made parallel" by the projection lens (5); it would have been obvious to have that lens make the light parallel. When darkfield illumination is used, the light is made ringlike and is applied obliquely to the surface.

The slit (26) is adjustable (column 19, lines 38-41). Calibrating the instrument using a standard known object would have been obvious. Placing the receiving optics in a tubular housing would have been obvious; such housings are standard in the art. The use of optical fibers to conduct light within such an instrument would have been obvious; optical fibers are commonly used to conduct light.

3. The remarks filed 2 November 2000 have been considered. In light of the remarks, the objection to the specification as to the "polarizing microscope" and the rejection under 35 U.S.C. 112, first paragraph as to the use of optical fibers are withdrawn.

4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

5. Papers related to this application may be submitted to Group 2800 by facsimile transmission. The faxing of such papers must conform to the notice published in the Official Gazette, 1096 OG 30 (15 November 1989). The fax number is (703) 308-7722.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to R. A. Rosenberger whose telephone number is (703) 308-4804.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0956.

R. A. Rosenberger
10 January 2001



Richard A. Rosenberger
Primary Examiner